

# LYNX-6110

LYNX-6110 is a compact, fan-less and cable-less PC adopting the low power Intel® Apollo Lake processor. Developed to meet heavy industrial standards, the rugged design ensures its reliability and stability in harsh environment. By providing basic I/O interfaces in a palm-sized system, LYNX-6110 is suitable for industrial automation, smart factory, edge computing, and IIoT gateway applications.

## Key Features

- Intel® Celeron® Processor
- 2x LAN, 2x USB 3.0 and 1x DP
- 1x M.2 key E for wireless module
- Heavy Industry EMC standard
- Customized appearance (Optional)
- Extended temperature (Optional)



## General

Processor	Intel® Celeron® N3350, 2 cores, 1.1GHz/2.4 GHz, 6W TDP
Memory	4GB onboard LPDDR4, 2400 MT/s, non-ECC; up to 8GB (Optional)
Storage	32GB onboard eMMC 5.0 flash; up to 256GB (Optional)
Power Input	12-30VDC (+/- 20%)
Operating System	Windows® 10 IoT Enterprise (64bit) Yocto v2.7
Expansion	1x M.2 Key E 2230 for wireless module
Other	TPM 2.0 onboard

## Basic I/O Interface

Power Connector	1x 2-Pin Terminal Block
Ethernet	2x 10/100/1000 GbE (Intel® I210)
USB	2x USB 3.0
Display	1x DP v1.4 4096 x 2160 @ 60Hz

## Certification

CE (EN 55032; EN 55024/ EN 55035)

CE (EN 61000-6-4; EN 61000-6-2)

FCC (Part 15 Subpart Class B)

LVD (EN 62368-1)

## ENVIRONMENT & MECHANICAL

Storage Temperature	-40 °C ~ 85 °C
Operating Temperature	0°C ~ 50°C
Permissible Humidity	5-95% RH operating, non-condensing 5-95% RH storage, non-condensing
Vibration	1G with DIN-rail mounting 5G with wall mounting (IEC/EN 60068-2-6)
Shock	15G with DIN-rail mounting 50G with wall mounting (IEC/EN 60068-2-27)
Degree of Protection	IP 30
Dimension	100mm (W) x 53.5mm (H) x 92 mm (D)
Net Weight	0.53 KG
Mounting	DIN-rail / Wall Mount

## Optional Accessories

Power Adaptor	2-pin terminal block connector to DC jack cable 60W AC to DC Power Adaptor via DC jack
Video Adaptor	DP to VGA/ DP to DVI-D



Portwell, Inc. (Fremont, CA)  
No. 242, Bo'AI St., Shu-Lin Dist.  
New Taipei City 238, Taiwan  
Tel: +886-2-77318888  
Fax: +886-2-77319888  
E-mail: info@portwell.com.tw  
http://www.portwell.com.tw

American Portwell (Brazil)  
Tel: +1-510-403-3399  
Fax: +1-510-403-3184  
E-mail: info@portwell.com  
http://www.portwell.com

Portwell Latin America (Brazil)  
Tel: +55-41-3121-7200  
Tel: +55-41-3121-7201  
E-mail: vendas@portwell.com.br  
http://www.portwell.com.br

European Portwell (Germany)  
Tel: +31-252-620790  
E-mail: info@portwell.eu  
http://www.portwell.eu

Portwell Deutschland GmbH (Germany)  
Tel: +49-6103-3008-0  
Fax: +49-6103-3008-199  
E-mail: info@portwell.de  
http://www.portwell.de

Portwell UK Ltd. (China)  
Tel: +44-1235-750760  
Fax: +44-1235-750761  
E-mail: info@portwell.eu  
http://www.portwell.eu

Portwell Japan, Inc. (Japan)  
Tel: +81-6-4807-7721  
Fax: +81-6-4807-7720  
E-mail: info@portwell.co.jp  
http://www.portwell.co.jp

Portwell Korea, Inc. (Korea)  
Tel: +81-3-6902-9225  
Fax: +81-3-6902-9226  
E-mail: info@portwell.co.kr  
http://www.portwell.co.kr

Portwell India Technology (India)  
Tel: +91-80-4078-2700  
E-mail: info@portwell.in  
http://www.portwell.in

Shanghai Portwell (China)  
Tel: +86-21-5771-2565  
Fax: +86-21-5772-2985  
E-mail: info@portwell.com.cn  
http://www.portwell.com.cn